





MILLENNIUM CHALLENGE ACCOUNT NEPAL (MCA-NEPAL)

Supply and Delivery of IT Equipment and Accessories Ref No: (MCA-N/PM/SH/078)

ADDENDUM #2

Issued on: 12 August 2024

This Addendum No. #2 modifies respective portions of the Request for Offers (RFO) Document issued on 26 July 2024 and Addendum #1 issued on 07 August 2024. The changes, as indicated below with Yellow shaded text, are effective on the date of issue of this Addendum #2.

Except as expressly amended by this Addendum #2, all other terms and conditions of the Request for Offer Document issued on 26 July 2024 and Addendum #1 issued on 07 August 2024 remain unchanged and shall remain in full force and effect in accordance with their terms.

SN	Pages/Paragraph	Addendum
1.	Request for Offer, Pages 3, Clause #3 (g)	Your Form of Offer with the priced Price Schedule should be submitted electronically by 14 August 2024 at 15:00 hours local time in Kathmandu, Nepal (GMT+5:45) by the File request link (Dropbox link) provided below, with the name of uploaded file as follows: "[Your Company Name] – IT Equipment": The File request link (Dropbox link) for submission of Offers is: https://www.dropbox.com/request/ytpapLPb1ZkpAbEh85Dh Instruction for uploading your submission: Click this link or type this link correctly in a browser. Click on Add Files Click on Files from Computer (Choose files from computer) Click on +Add more files (Optional, only if you have more than one file and so on for other files) Enter your: First name and Email address. Click Upload Successful upload: completed the submission.

		Note that the provided Dropbox link will expire on the deadline for submission (exact date and time) as indicated above, consequently no late Offers will be received.
		has been replaced by:
		Your Form of Offer with the priced Price Schedule should be submitted electronically by 21 August 2024 at 15:00 hours local time in Kathmandu, Nepal (GMT+5:45) by the File request link (Dropbox link) provided below, with the name of uploaded file as follows: "[Your Company Name] — IT Equipment": The File request link (Dropbox link) for submission of Offers is: https://www.dropbox.com/request/ytpapLPb1ZkpAbEh85Dh
		 Instruction for uploading your submission: Click this link or type this link correctly in a browser. Click on Add Files Click on Files from Computer (Choose files from computer) Click on +Add more files (Optional, only if you have more than one file and so on for other files) Enter your: First name and Email address. Click Upload Successful upload: completed the submission. Note that the provided Dropbox link will expire on the deadline for submission (exact date and time) as indicated
2.	Request for Offer, Pages 6 to 12, Attachment 1, TECHNICAL SPECIFICATIONS	above, consequently no late Offers will be received. This has been replaced as per Annex-1 of this Addendum #2.
3.	Request for Offer, Pages 15 to 22, Attachment 3, Submission Form of Supplier's Proposed Technical Specifications	This has been replaced as per Annex- 2 of this Addendum #2.

Annex-1

Attachment #1

Technical Specification

Lot #1: Laptop Computer

1. Laptop Computer (Type A) with Docking and Monitor – 40 sets

Type	 Business Enterprise-Grade Laptop: Robust, Ultra-Slim and sleek Design, Omission of Ethernet Port for enhance system portability.
Operating System	 Windows 11 Professional x64 bit English
	Recovery Image
Processor Technology	■ Intel® Core TM Ultra 7 with vPro TM Technology
Processor	■ Intel® Core™ Ultra 7 165H vPro or equivalent
Graphics	 Integrated Intel® Arc Graphics / Intel Graphics
Chipset/Security	■ TPM 2.0 Security Complied
Display	 Display - 14" Diagonal. WUXGA (1920 x 1200), IPS, Anti-glare, non-Touch Screen or equivalent Webcam - Resolution: 1080p FHD IR/RGB Hybrid with Shutter
Memory	• 32 GB DDR5, 2 x SODIMM
Internal Storage	■ 512 GB PCIe® NVMe TM TLC SSD or Equivalent, Expandable
Sound/Audio	 Dual stereo speakers, integrated multi array microphone 1 x 1/8" / 3.5 mm Headphone/Mic Combo Universal Audio Jack
LAN/Wireless technology	 Intel® Wi-Fi 6E AX211 2x2 AX and Bluetooth® 5.1/ IEEE 802.11ax - Gigabit Support
External I/O Ports	 2 x USB 3.1 Gen 1 Type-A ports 2 x ThunderboltTM 4 with USBTM Type-C ports 1 x HDMI 2.0 port 1 x Headphone/microphone universal Combo Jack 1 x Micro/Nano-SIM slot (optional) 1 x Standard security lock with peripheral trap (slim)
Keyboard/Touchpad	 Backlit, spill-resistant premium keyboard Pointing Device: Touchpad with multi-touch gesture support
Power Supply/ Battery	 ~ 65W USB Slim Power Adapter (AC) Replaceable Lithium-Ion, 3-Cell long life, 51 Wh (or higher) Fast/Express Charging Li-ion battery.
Carrying bag	 Good quality branded laptop carrying bag (back-pack)

Warranty	Three-years warranty
Docking Station	 Type – Universal Thunderbolt 4 Ports – at least 3 x USB-A, 1 x USB-C Ethernet – 1 xRJ45 Gigabit or higher speed 2 x DisplayPort, 1xHDMI 2.0 or higher 4 x Simultaneously display support. Connectivity – Integrated / detachable cable Audio port – 1 x 3.5mm audio combo jack (optional) Power on indicator – LED Windows 10/11, macOS support Power supply – standard 220v, 50Hz
Desktop Monitor	 Size/type – 23 ~24 inches IPS Display resolution – WUXGA (1920 x 1200) Aspect Ration – 16:10 Connectivity - at least 1xHDMI, 1xDP or equivalent USB Ports – 2 x USB 3.0 Stand – adjustable height and angle (VESA) Power Supply – Standard 220V, 50Hz
External Keyboard/Mouse	 Business enterprise grade premium multi-device wireless keyboard and mouse combo (USB/Bluetooth)

2. Laptop Computer (Type B) - without Docking and Monitor – 25 sets.

Type	 Business Enterprise-Grade Laptop: Robust, Ultra-Slim and sleek Design, Omission of Ethernet Port for enhance system portability.
Operating System	Windows 11 Professional x64 bit EnglishRecovery Image
Processor Technology	■ Intel® Core TM Ultra 7 with vPro TM Technology
Processor	■ Intel® Core™ Ultra 7 165H vPro or equivalent
Chipset/Security	■ TPM 2.0 Security Complied
Memory	• 64 GB DDR5, 2 x SODIMM
Internal Storage	■ 1 TB PCIe® NVMe TM TLC SSD or Equivalent, Expandable
Graphics Card	 Integrated Intel® Arc Graphics / Intel Graphics
Display	 Display - 14" Diagonal. WUXGA (1920 x 1200), IPS, Anti-glare, non-Touch Screen or equivalent higher Webcam - Resolution: 1080p FHD IR/RGB Hybrid with Shutter
Sound/Audio	 Dual stereo speakers, integrated multi array microphone 1 x 1/8" / 3.5 mm Headphone/Mic Combo Universal Audio Jack
LAN/Wireless technology	 Intel® Wi-Fi 6E AX211 2x2 AX and Bluetooth® 5.1/ IEEE 802.11ax - Gigabit Support
External I/O Ports	 2 x USB 3.1 Gen 1 Type-A ports 2 x ThunderboltTM 4 with USBTM Type-C ports 1 x HDMI 2.0 port

	 1 x Headphone/microphone universal Combo Jack 1 x Micro/Nano-SIM slot (optional) 1 x Standard Security Lock with Peripheral Trap – Slim USB 3.0 to Gigabit RJ45 Adapter (laptops without an Ethernet port)
Keyboard/Touchpad	 Backlit spill-resistant premium Keyboard Pointing Device: Touchpad with multi-touch gesture support
Power Supply/ Battery	 ~ 65W Slim Power Adapter (AC) Replaceable Lithium-Ion, 3-Cell long life, 51 Wh (or higher) Fast/Express Charging Li-ion battery
External Keyboard/Mouse	 Business enterprise class premier multi-device wireless keyboard and mouse (Bluetooth)
Carrying bag	■ Good quality branded laptop carrying bag (back-pack)
Warranty	Three-years warranty

<u>Lot #2 – Multifunctional Printer</u>

1. Multifunctional Printer (MFP) - 1 set

Machine Type	Business Enterprise Grade Multifunctional Machine
	• (All-In-One)
Printing Output	Monochrome (Standard - A4, A3, Letter)
Standard Functions	Print, Copy, Scan, Email
Printing Speed	 Up to 70 ppm (Standard Letter, A4) or equivalent higher speed Monthly duty cycle – up to 300,000 pages or equivalent higher volume printing capacity First copy out =<5 second or faster
Copy and Print	Standard automatic Duplex Printing
Resolution	Manual One-sided printing
Resolution	Copy resolution up to 600 x 600 dpi,
	Print resolution up to 1200 x 1200 dpi enhanced.
	Copying reduce/enlarge: 25% ~ 400%.
	Economic /Grayscale Printing (default)
Printer Processor	■ Intel ATOM Quad Core/Dual-Core/ARM or any Dual Custom
Time Tiocessor	Processor or equivalent higher
Printer Memory	■ 4GB total or equivalent or higher
Internal Storage (HDD/SSD)	 128 GB SSD or higher (512 GB Preferred) or equivalent higher advanced technology storage.
Control Panel	■ 10.1" TFT/LCD/LED Color Display Touch Screen
Connectivity and other	 Standard RJ-45 Ethernet (10/100/1000 Base-T)
printing options	 High speed USB 2.0/3.0 direct printer connection
7 6 T	 Additional latest wireless feature such as
	WiFi (IEEE 802.11 b/g/n) or WiFi Direct or AirPrint and Bluetooth
	and cloud printing preferred.
	 Print from USB disk (USB 2.0 or higher) feature.
	- Thin from OSD disk (OSD 2.0 of higher) feature.

	Print from Cloud repositories preferred (Dropbox, OneDrive, and
	Google Drive) or equivalent.
Scanning Options /	 Scan to USB directly connected to Printer.
File Format Support	 Scan to Email via SMTP support.
The Polliat Support	 Scan to Network/FTP/SFTP/SMB features.
	 Scan to Cloud (desirable)
	 Standard format - PDF, PDF/A, JPEG, TIFF and wider range of file
	format support and OCR.
	Other security features
OS Support	Windows® Server2012/Server2012 R2/
	Server2016/Server2019/Server 2022, Windows 10/11 and Mac OS
	X (10.11) or higher versions
	 Both PCL and advanced PostScript (PS). PDF and XPS printing
	support
Paper Handling (ADF,	■ Robust feeder design (multiple size support – ~A4
Trays and Paper	 DADF/DSDF with standard Single-Pass Duplex Automatic
Output Options)	Document Feeder for scan and copy.
The state of the s	 Paper Tray/Cassette/Drawer - Total FOUR Trays (Letter, A4 ~ A3)
	including - bypass and high capacity Tandem/Deck or equivalent
	options enough for high volume printing.
	 Paper/Size/Thickness: Standard Letter, A4, A3 - up to 200/300
	GSM/140LB or equivalent paper weight support
	 Paper output Accessories - Office Finisher Unit (OFU) with up to 50
	Sheets (20 lb/80 gsm) single-position stapling or equivalent feature.
Power Supply	Standard 220 v, 50 Hz Nepal
Accessories	 Power Cables, USB Cables and ADF, Cover etc.
	- rower causes, USB Causes and ADF, Cover etc.
Warranty	■ 3 Years

<u>Lot #3 – Video Conferencing System</u>

$4. \quad \mbox{Video Teleconferencing (VTC) System for mobile Use -1 set} \\$

Auto Tracking Conference Camera	
Туре	 Professional Auto Tracking PTZ Camera
Picture Elements	■ Single/Double Lens with 1/25" ~1.0" Image Sensor
Output Resolution	■ 4K Ultra HD
Zoom	■ 15~30 Advance Zoom or Equivalent
FOV/PTZ	■ 60~120-degree horizontal coverage or equivalent
Connectivity	 3G-SDI/ HDMI / IP / USB/ RS-232/ RS-422 etc. Audio IN/OUT options
Video Formats	MPEG/AVI/MOV/WMV compatible with Windows
Auto Tracking /AI Functions	Human Detection/Motion Tracking Feature
OS Support	 Plug and Play – Windows/Mac OS

Power Supply	■ AC, Standard 220~240C, 50/60Hz
Accessories	• Power adapter/cord/cable, remote control, Extension cable/wire up to 20M, mounting kit etc. to make the system functional.
Warranty	 At least ONE year
Audio Speakerphone	
Туре	Full duplex microphone array speakerphone
Audio acoustic features	 Advanced echo cancellation / noise suppression features for powerful wideband voice processing
Voice/Audio Control	 Speaker volume adjustable via Remote control/Touch Control/button control for volume up/down, mute, call and hang-up functions
Connectivity	 Bluetooth/LAN/audio IN/OUT, USB 3.0/USB-C/HDMI/ RS-232/ RS-422 with options for MIC POD expansion and external audio system
Power Supply	AC, Standard 220~240C, 50/60Hz
Accessories	 Power adapter/cord/cable/HuB, remote control and extension cable up to 20M to make the system functional. Mounting Kits (if applicable)
OS Support	 Plug and Play with Standard Windows and Mac OS
Expected Apps to be Compatible With	 Skype/Skype for Business Microsoft Teams Zoom Cisco WebEx, Jabber,
Warranty	At least ONE Year
Carrying Bag	 Appropriate carrying bag to accommodate Conference Camera, Speakerphone and Accessories

<u>Lot #4 – Uninterruptable Power Supply System (UPS)</u>

5. 3 kVA Smart UPS - 1 Sets

Type/Capacity	■ 3000 VA Smart UPS System
Jr ·· · · · · · · · · · · · ·	 Tower Cashing
Power Input	■ 220 V, 50/60 Hz +/-3 Hz Auto Sensing
Y 1. /G	■ IEC320- C19 Input Connection
Voltage/Current	■ Input Voltage range – 160 ~ 285 V adjustable.
	 At least 95.0 % efficiency at full load
Power Output	■ 3.0 kVA, 2.7kWatts
Voltage/Current	■ Nominal Output voltage – 220 ~230 configurable
-	 At least 95% Efficiency at full load
	• (1) IEC C19 outlet connection
	■ (4+) IEC C13 outlet connections
Batteries	 2x2 Maintenance-free sealed Lead-Acid battery (Leak-proof)
	Expected re-charge time 3 Hrs.
	 Expected Battery Life (years): 3- 5 years.
Backup/runtime	■ At least 8 ~ 12 minutes of runtime at half load
Output Frequency	■ Sinewave, 50 Hz (47 - 53 Hz), +/-5% distortion
Communication	 Smart-Connect, USB & Serial support.
	 LED/LCD/Light status display for On-Line, On-Battery, Battery
	Replace and Overload Indicator
Audible Alarm	 Alarm when UPS is on battery, distinctive low battery and
	configurable delays or defects.
Accessories	■ Power Cables, C13, C19 type,
	 Serial/USB cable, Serial-RJ-45 etc.
	 User manual
Warranty	 At least ONE year
Warranty	■ At least ONE year

6. 20 kVA UPS for Data Center (Redundant) -1 set

External Features	
Chassis Type	Tower with trolley wheelbase
UPS Type/Capacity	■ 20 kVA Smart, Double Conversion Online
Architecture	 Modular design for quick service and less maintenance via self- diagnosis and replaceable spare parts.
User Interface	 Control Panel/LCD display - Alpha-numeric displays for system parameters and alarms.
Signal and Alert	 Audible alarms notify changes in utility and UPS power conditions, programmable with auto reset and various frequencies.
Installation	 Easy installation, customizable to connect with external battery bank, with adequate option for charging system and scalability.
Diagnostics	 Self-test features to ensures early detection of electricity fault or battery issue.

Input Power Ratings (N	Junicipal Feed)
Input Frequency	■ 45 ~ 65 Hz (auto sensing)
3- Phase Input Voltage range	■ 304 ~ 477V, Others 380V ~ 415V
Input Power Factor at Full Load	• 0.99
Input Connections	■ Hard Wire 5-wire (3PH + N + G)
Output Power ratings (Pure Sine Wave)
Max Configurable Power	■ 20.0 kW / 20.0kVA
Nominal Output Voltage	 220 V Single Phase/3 Phase (Configurable for 380: 400 or 415 V 3- Phase nominal output voltage)
Output Voltage Distortion	• Less than 3% at full load
Efficiency at Full Load	■ 95.0 % or higher
Output Frequency (sync to mains)	• 50 Hz Sync to mains, 60 Hz Sync to mains
Output connection	 Customizable for 3Phase to 3Phase or 3Phase to Single phase, Hard Wire 5-wire (3PH + N + G), IEC 320 standard installations.
Bypass	Built-in maintenance bypass
Warranty	■ 3 Years
Installation/Operation	
Installation	■ This UPS will serve as a redundant use for the existing 20 kVA APC Smart-UPS - SUVT 20KHS model. Vendor must conduct a test installation, synchronizing the offered UPS to the existing wiring infrastructure that connects with 32 x 150 Ah, 12V battery bank setup.
Monitoring	 Pre-Installed Network Management, Interface Ports(s), RJ-45 10/100 Base-T Smart slot with audible and visible alarm. EMP/Temperature Sensor, Web/SNMP Management Card for remote access/management.
Documentation / Manual	 CD with software/firmware, User Manual for graceful power programming.

Annex - 2

Attachment -3

Submission Form of Supplier's Proposed Technical Specifications

Supply and Delivery of IT Equipment and Accessories, MCA-N/PM/SH/078

(Supplier shall propose better or equivalent Technical Specifications than described in Attachment 1 and 3)

MCA-Nepal's Required Specification		SUPPLIERS SPECIFICATION
Lot #1: Laptop Com 1. Laptop Comp	nputer uter (Type A) with Docking and Monitor – 40 sets	
	BRAND/MODEL NAME	
Туре	 Business Enterprise-Grade Laptop: Robust, Ultra-Slim and sleek Design, Omission of Ethernet Port for enhance system portability. 	
Operating System	 Windows 11 Professional x64 bit English Recovery Image 	
Processor Technology	■ Intel® Core TM Ultra 7 with vPro TM Technology	
Processor	■ Intel® Core™ Ultra 7 165H vPro or equivalent	
Graphics	■ Integrated Intel® Arc Graphics /Intel Graphics	
Chipset/Security	■ TPM 2.0 Security Complied	

Display	 Display - 14" Diagonal. WUXGA (1920 x 1200), IPS, Antiglare, non-Touch Screen or equivalent Webcam - Resolution: 1080p FHD IR/RGB Hybrid with Shutter 	
Memory	■ 32 GB DDR5, 2 x SODIMM	
Internal Storage	■ 512 GB PCIe® NVMe TM TLC SSD or Equivalent, Expandable	
Sound/Audio	 Dual stereo speakers, integrated multi array microphone 1 x 1/8" / 3.5 mm Headphone/Mic Combo Universal Audio Jack 	
LAN/Wireless technology	 Intel® Wi-Fi 6E AX211 2x2 AX and Bluetooth® 5.1/ IEEE 802.11ax - Gigabit Support 	
External I/O Ports	 2 x USB 3.1 Gen 1 Type-A ports 2 x ThunderboltTM 4 with USBTM Type-C ports 1 x HDMI 2.0 port 1 x Headphone/microphone universal Combo Jack 1 x Micro/Nano-SIM slot (optional) 1 x Standard security lock with peripheral trap (slim) 	
Keyboard/Touchpad	 Backlit, spill-resistant premium keyboard Pointing Device: Touchpad with multi-touch gesture support 	
Power Supply/ Battery0	 ~ 65W USB Slim Power Adapter (AC) Replaceable Lithium-Ion, 3-Cell long life, 51 Wh (or higher) Fast/Express Charging Li-ion battery. 	
Carrying bag Warranty	Good quality branded laptop carrying bag (back-pack)Three-years warranty	
Docking Station	 Type – Universal Thunderbolt 4 Ports – at least 3 x USB-A, 1 x USB-C Ethernet – 1 xRJ45 Gigabit or higher speed 2 x DisplayPort, 1xHDMI 2.0 or higher 4 x Simultaneously display support. Connectivity – Integrated / detachable cable Audio port – 1 x 3.5mm audio combo jack (optional) Power on indicator – LED 	

	 Windows 10/11, macOS support Power supply – standard 220v, 50Hz 	
Desktop Monitor	 Size/type – 23 ~24 inches IPS Display resolution – WUXGA (1920 x 1200) Aspect Ration – 16:10 Connectivity – at least 1xHDMI, 1xDP or equivalent USB Ports – 2 x USB 3.0 Stand – adjustable height and angle (VESA) Power Supply – Standard 220V, 50Hz 	
External Keyboard/Mouse	 Business enterprise grade premium multi-device wireless keyboard and mouse combo (USB/Bluetooth) 	

2. Laptop Computer (Type B) - without Docking and Monitor – 25 sets.	
	BRAND/MODEL NAME
Type	 Business Enterprise-Grade Laptop: Robust, Ultra-Slim and sleek Design, Omission of Ethernet Port for enhance system portability.
Operating System	 Windows 11 Professional x64 bit English Recovery Image
Processor Technology	■ Intel® Core TM Ultra 7 with vPro TM Technology
Processor	■ Intel® Core™ Ultra 7 165H vPro or equivalent
Chipset/Security	■ TPM 2.0 Security Complied
Memory	• 64 GB DDR5, 2 x SODIMM
Internal Storage	■ 1.0 TB PCIe® NVMe™ TLC SSD or Equivalent, Expandable
Graphics Card	Integrated Intel® Arc Graphics / Intel Graphics

Display	 Display - 14" Diagonal. WUXGA (1920 x 1200), IPS, Antiglare, non-Touch Screen or equivalent higher Webcam - Resolution: 1080p FHD IR/RGB Hybrid with Shutter
Sound/Audio	 Dual stereo speakers, integrated multi array microphone 1 x 1/8" / 3.5 mm Headphone/Mic Combo Universal Audio Jack
LAN/Wireless technology	■ Intel® Wi-Fi 6E AX211 2x2 AX and Bluetooth® 5.1/ IEEE 802.11ax - Gigabit Support
External I/O Ports	 2 x USB 3.1 Gen 1 Type-A ports 2 x ThunderboltTM 4 with USBTM Type-C ports 1 x HDMI 2.0 port 1 x Headphone/microphone universal Combo Jack 1 x Micro/Nano-SIM slot (optional) 1 x Standard Security Lock with Peripheral Trap – Slim
Keyboard/Touchpad	 Backlit spill-resistant premium Keyboard Pointing Device: Touchpad with multi-touch gesture support
Power Supply/ Batter	 ~ 65W Slim Power Adapter (AC) Replaceable Lithium-Ion, 3-Cell long life, 51 Wh (or higher) Fast/Express Charging Li-ion battery
External Keyboard/Mouse	 Business enterprise class premier multi-device wireless keyboard and mouse (Bluetooth)
Carrying bag	■ Good quality branded laptop carrying bag (back-pack)
Warranty	■ Three-years warranty

Lot #2: Multifunctional Printer

3. Multifunctional	Printer (MFP) – 1 set		
	BRAND/MODEL NAME		

Machine Type	 Business Enterprise Grade Multifunctional Machine (All-In-One) 	
Printing Output	 Monochrome (Standard - A4, A3, Letter) 	
Standard Functions	Print, Copy, Scan, Email	
Printing Speed	 Up to 70 ppm (Standard Letter, A4) or equivalent higher speed printing Monthly duty cycle – up to 300,000 pages or equivalent higher volume printing capacity First copy out =<5 second or faster 	
Copy and Print Resolution	 Standard automatic Duplex Printing Manual One-sided printing Copy resolution up to 600 x 600 dpi, Print resolution up to 1200 x 1200 dpi enhanced. Copying reduce/enlarge: 25% ~ 400%. Economic /Grayscale Printing (default) 	
Printer Processor	 Intel ATOM Quad Core/Dual-Core/ARM or any Dual Custom Processor or equivalent higher 	
Printer Memory	4GB total or equivalent or higher	
Internal Storage (HDD/SSD)	 128 GB SSD or higher (512 GB Preferred) or equivalent higher advanced technology storage. 	
Control Panel	■ 10.1" TFT/LCD/LED Color Display Touch Screen	
Connectivity and other printing options	 Standard RJ-45 Ethernet (10/100/1000 Base-T) High speed USB 2.0/3.0 direct printer connection Additional latest wireless feature such as WiFi (IEEE 802.11 b/g/n) or WiFi Direct or AirPrint and Bluetooth and cloud printing preferred. Print from USB disk (USB 2.0 or higher) feature. Print from Cloud repositories preferred (Dropbox, OneDrive, and Google Drive) or equivalent. 	
Scanning Options / File Format Support	 Scan to USB directly connected to Printer. Scan to Email via SMTP support. Scan to Network/FTP/SFTP/SMB features. 	

OS Support	 Scan to Cloud (desirable) Standard format - PDF, PDF/A, JPEG, TIFF and wider range of file format support and OCR. Other security features Windows® Server2012/Server2012 R2/ Server2016/Server2019/Server 2022, Windows 10/11 and Mac OS X (10.11) or higher versions Both PCL and advanced PostScript (PS). PDF and XPS printing support 	
Paper Handling (ADF, Trays and Paper Output Options)	 Robust feeder design (multiple size support – ~A4 DADF/DSDF with standard Single-Pass Duplex Automatic Document Feeder for scan and copy. Paper Tray/Cassette/Drawer - Total FOUR Trays (Letter, A4 ~ A3) including - bypass and high capacity Tandem/Deck or equivalent options enough for high volume printing. Paper/Size/Thickness: Standard Letter, A4, A3 - up to 200/300 GSM/140LB or equivalent paper weight support Paper output Accessories - Office Finisher Unit (OFU) with up to 50 Sheets (20 lb/80 gsm) single-position stapling or equivalent feature. 	
Power Supply	■ Standard 220 v, 50 Hz Nepal	
Accessories	 Power Cables, USB Cables and ADF, Cover etc. 	
Warranty	■ 3 Years, Spares and Onsite Support	

Lot #3 : Video Conferencing System

4. Video Teleconferencing (VTC) System for mobile Use -1 set		
	BRAND/MODEL NAME	
Type	 Professional Auto Tracking PTZ Camera 	
Picture Elements	■ Single/Double Lens with 1/25" ~1.0" Image Sensor	

Output Resolution	■ 4K Ultra HD	
Zoom	■ 15~30 Advance Zoom or Equivalent	
FOV/PTZ	■ 60~120-degree horizontal coverage or equivalent	
Connectivity	 3G-SDI/ HDMI / IP / USB/ RS-232/ RS-422 etc. Audio IN/OUT options 	
Video Formats	 MPEG/AVI/MOV/WMV compatible with Windows 	
Auto Tracking /AI Functions	Human Detection/Motion Tracking Feature	
OS Support	■ Plug and Play – Windows/Mac OS	
Power Supply	 AC, Standard 220~240C, 50/60Hz 	
Accessories	 Power adapter/cord/cable, remote control, Extension cable/wire up to 20M, mounting kit etc. to make the system functional. 	
Warranty	At least ONE year	
Audio Speakerphon	e	
Type	Full duplex microphone array speakerphone	
Audio acoustic features	 Advanced echo cancellation / noise suppression features for powerful wideband voice processing 	
Voice/Audio Control	 Speaker volume adjustable via Remote control/Touch Control/button control for volume up/down, mute, call and hang-up functions 	
Connectivity	 Bluetooth/LAN/audio IN/OUT, USB 3.0/USB-C/HDMI/ RS- 232/ RS-422 with options for MIC POD expansion and external audio system 	
Power Supply	■ AC, Standard 220~240C, 50/60Hz	
Accessories	 Power adapter/cord/cable/HuB, remote control and extension cable up to 20M to make the system functional. Mounting Kits (if applicable) 	

OS Support	■ Plug and Play with Standard Windows and Mac OS	
Expected Apps to be Compatible With	 Skype/Skype for Business Microsoft Teams Zoom Cisco WebEx, Jabber, 	
Warranty	At least ONE Year	
Carrying Bag	 Appropriate carrying bag to accommodate Conference Camera, Speakerphone and Accessories 	

Lot #4: Uninterruptable Power Supply System

5. 3 kVA Smart UPS -1 set				
	BRAND/MODEL NAME			
Type/Capacity	3000 VA Smart UPS SystemTower Cashing			
Power Input	■ 220 V, 50/60 Hz +/-3 Hz Auto Sensing			
Voltage/Current	 IEC320- C19 Input Connection Input Voltage range – 160 ~ 285 V adjustable. At least 95.0 % efficiency at full load 			
Power Output	■ 3.0 kVA, 2.7kWatts			
Voltage/Current	 Nominal Output voltage – 220 ~230 configurable At least 95% Efficiency at full load (1) IEC C19 outlet connection (4+) IEC C13 outlet connections 			
Batteries	 2x Maintenance-free sealed Lead-Acid battery (Leak-proof) Expected re-charge time 3 Hrs. Expected Battery Life (years): 3- 5 years. 			
Backup/runtime	■ At least 8 ~ 12 minutes of runtime at half load			
Output Frequency	■ Sinewave, 50 Hz (47 - 53 Hz), +/-5% distortion			
Communication	 Smart-Connect, USB & Serial support. LED/LCD/Light status display for On-Line, On-Battery, Battery Replace and Overload Indicator 			
Audible Alarm	 Alarm when UPS is on battery, distinctive low battery and configurable delays or defects. 			
Accessories	 Power Cables, C13, C19 type, Serial/USB cable, Serial-RJ-45 etc. User manual 			

Warranty	■ At least ONE year	

6. 20 kVA UPS for Data Center (Backup) -1 set

BRAND/MODEL NAME External Features:		
Chassis Type	■ Tower with trolley wheelbase	
UPS Type/Capacity	■ 20 kVA Smart, Double Conversion Online	
Architecture	 Modular design for quick service and less maintenance via self-diagnosis and replaceable spare parts. 	
User Interface	 Control Panel/LCD display - Alpha-numeric displays for system parameters and alarms. 	
Signal and Alert	 Audible alarms notify changes in utility and UPS power conditions, programmable with auto reset and various frequencies. 	
Installation	 Easy installation, customizable to connect with external battery bank, with adequate option for charging system and scalability. 	
Diagnostics	 Self-test features to ensures early detection of electricity fault or battery issue. 	
Input Power Ratings (M	· · · · · · · · · · · · · · · · · · ·	
Input Frequency	■ 45 ~ 65 Hz (auto sensing)	
3- Phase Input Voltage range	■ 304 ~ 477V, Others 380V ~ 415V	
Input Power Factor at Full Load	• 0.99	
Input Connections	■ Hard Wire 5-wire (3PH + N + G)	
Output Power ratings (Pure Sine Wave)	

Max Configurable	■ 20.0 kW / 20.0kVA	
Power	2010 KW / 2010KWI	
Nominal Output	 220 V Single Phase/3 Phase (Configurable for 380: 400 or 415 	
Voltage	V 3-Phase nominal output voltage)	
Output Voltage	Less than 3% at full load	
Distortion		
Efficiency at Full Load	• 95.0 % or higher	
Output Frequency	• 50 Hz Sync to mains, 60 Hz Sync to mains	
(sync to mains)		
Output connection	 Customizable for 3Phase to 3Phase or 3Phase to Single phase, 	
	Hard Wire 5-wire $(3PH + N + G)$, IEC 320 standard installations.	
Bypass	Built-in maintenance bypass	
Warranty	• 3 Years	
Installation/Operation		
Installation	This UPS will serve as a redundant use for the existing 20	
	kVA APC Smart-UPS - SUVT 20KHS model. Vendor must	
	conduct a test installation, synchronizing the offered UPS to the existing wiring infrastructure that connects with 32 x 150	
	Ah, 12V battery bank setup.	
Monitoring	 Pre-Installed Network Management, Interface Ports(s), RJ-45 	
	10/100 Base-T Smart slot with audible and visible alarm.	
	EMP/Temperature Sensor, Web/SNMP Management Card for	
	remote access/management.	
Documentation /	CD with software/firmware, User Manual for graceful power	
Manual	programming.	